


SINGLE POLE SHORTING LINK BUSBAR

SPPTSLB
Shorting Link busbar
Connection Accessory
One Pole
52 ways
18 mm
5 mm
Pin
15 mm
100A/63A (40°C)
415 V AC
Horizontal
ETP
Virgin PVC for Sleeves/ Nylon for End Caps
Grey
1000 mm
India










TWO POLE SHORTING LINK BUSBAR

DPPTSLB
Shorting Link busbar
Connection Accessory
Two Pole
26 ways
18 mm (Center to Center)
5 mm
Pin
11 mm
100A/63A (40°C)
415 V AC
Horizontal
ETP
Virgin PVC for Sleeves/ Nylon for End Caps
Grey
1000 mm
India










THREE POLE SHORTING LINK BUSBAR

TPPTSLB
Shorting Link busbar
Connection Accessory
Three Pole
18 ways
18 mm (Center to Center)
5 mm
Pin
11 mm
100A/63A (40°C)
415 V AC
Horizontal
ETP
Virgin PVC for Sleeves/ Nylon for End Caps
Grey
1000 mm
India









FOUR POLE SHORTING LINK BUSBAR

Product Name	FPPTSLB
Product Type	Shorting Link busbar
Product Category	Connection Accessory
Pole Description	Four Pole
No. of MCBs per meter	13 ways
Distance between Ways	18 mm (Center to Center)
Width of Ways	5 mm
Connection Type	Pin
Pitch of Way	11 mm
Current Rating	100A/63A (40°C)
Operational Voltage	415 V AC
Mounting Mode	Horizontal
Material of Busbar	ETP
Material of Insulation	Virgin PVC for Sleeves/ Nylon for End Caps
Sleeve Colour	Grey
Length	1000 mm
Country of Origin	India

